



SPRAYMATE XRS RATEKING XRS



OPTIMIZED FOR ORCHARDS AND VINEYARDS

XRS Series controllers are ideal for controlling the rate of pesticides, insecticides and fungicides - maximizing effectiveness, and boosting profitability. With Micro-Trak advanced auto rate controllers you will always be sure the desired rate is delivered with every pass.

Designed specifically for the unique needs of orchards and vineyards, the simple to set up and easy to use SprayMate XRS and RateKing XRS are built rugged to ensure years of dependable service.

SPRAYMATE™ XRS™

RATEKING™ XRS™

Micro-Trak Systems Inc.
800-328-9613
Micro-Trak.com
Trakmail@Micro-Trak.com

WHAT SETS US APART:

- Partner/Listen/Customize
- 3-year warranty
- Loaner program

 **MICRO-TRAK**
INNOVATIVE FROM THE GROUND UP
Copyright © 2021 • Micro-Trak® Systems, Inc. • All Rights Reserved



SPRAYMATE XRS

PRECISION APPLICATION MADE EASY

We've packed a lot of precision into a small package. The SprayMate XRS auto rate controller provides everything you need to get your acreage covered right. You'll appreciate the easy-to-read display that

allows you to switch to the information you need right when you need it. This advanced controller offers an affordable, practical solution for exact control of your application rate.



SPRAYMATE XRS

INDUSTRY LEADING 3-YEAR WARRANTY!

The SprayMate XRS features:

- Built-in controls for two independent sections
- Supervisor lockout mode to avoid accidental changes to calibration
- Fast and easy installation
- Rugged exterior for long life
- Compatible with GPS, radar, or wheel Speed Sensors
- English or Metric units
- Easy to use, compact layout
- Works with both turbine and electromagnetic flowmeters

ACCURACY MADE SIMPLE

VOLUME: Displays total gallons applied.

VOLUME/MINUTE: Displays gallons per minute being applied.

TANK: Displays remaining volume in tank.


RATE: Displays gallons per acre being applied.

AREA: Displays the acres covered.

DISTANCE: Displays the distance driven.

PRESSURE: Displays system pressure.

SPEED: Displays ground speed in miles per hour.



VARIABLE RATE APPLICATION

XRS Series controllers can be connected to 3rd party job management systems, like TracMap*, to enable variable rate applications. The XRS controllers automatically adjust the application rate

and/or row widths when moving from block to block. This eliminates operator errors, and assures you that application rates are consistently accurate.

*www.tracmap.com





DELIVERING SUPERIOR APPLICATION PERFORMANCE ON THE GO


The RateKing XRS automatic rate controller is designed from the ground up to control your application rate in orchards and vineyards. Stop over- or under-spraying with expensive inputs and ensure proper coverage for your best crop possible. Field-tested and built tough to provide years of dependable service in any environment.

MAXIMUM SPRAYING PERFORMANCE WITH MINIMAL EFFORT

Orchard or vineyard modes to perfectly fit your operation. Innovative Orchard Mode features 4 adjustable zones for vertical control in canopies of varying heights.


ORCHARD MODE

- 1 Row Width
- 4 Adjustable Zones



VINEYARD MODE

- 4 Independent Section Widths



RATE KING XRS

INDUSTRY LEADING 3-YEAR WARRANTY!

The RateKing XRS features:

- Built-in controls for four independent sections
- Multiple displays that simultaneously show application rate, active width, and selectable system data
- Supervisor lockout control mode to avoid accidental changes to calibration
- Fast and easy installation
- Rugged exterior for long life
- Customizable calibration
- Compatible with GPS, radar, or wheel Speed Sensors
- English or Metric units
- Full featured, yet simple to operate
- Works with both turbine and electromagnetic flowmeters
- 3 customizable application rates, selectable by switch on the fly



MICRO-TRAK[®]

INNOVATIVE FROM THE GROUND UP



**FOR MORE INFORMATION CALL
800-328-9613 OR VISIT MICRO-TRAK.COM**

Micro-Trak Systems, Inc. • Eagle Lake, MN • Trakmail@micro-trak.com

